

Nom du fichier: TRANPZ1

Date du pompage : 27/07/93

LE PIEZO PZ1 TESTE L'AQUIFERE : ALLUVIONS DE L'AUBE
 DIAMETRE DU PIEZO PZ1 : 115. mm
 RAYON D'OBSERVATION : 3.30 m
 NIVEAU HYDROSTATIQUE INITIAL : 1.94 m

 PALIER NO: 1 COURBE DE DESCENTE

N	TEMPS (MN.)	TEMPS CUM. (MN.)	RABAT. (M.)	DEBIT (M3/H)	1+TP/TR
1	0.00	0.00	0.000	6.840	0.00
2	0.50	0.50	0.000	6.840	0.00
3	1.00	1.00	0.010	6.840	0.00
4	1.50	1.50	0.010	6.840	0.00
5	2.00	2.00	0.005	6.840	0.00
6	2.50	2.50	0.005	6.840	0.00
7	3.00	3.00	0.005	6.840	0.00
8	3.50	3.50	0.005	6.840	0.00
9	4.00	4.00	0.005	6.840	0.00
10	5.00	5.00	0.005	6.840	0.00
11	6.00	6.00	0.005	6.840	0.00
12	7.00	7.00	0.005	6.840	0.00
13	8.00	8.00	0.005	6.840	0.00
14	9.00	9.00	0.005	6.840	0.00
15	10.00	10.00	0.005	6.840	0.00
16	12.00	12.00	0.005	6.840	0.00
17	14.00	14.00	0.005	6.840	0.00
18	16.00	16.00	0.005	6.840	0.00
19	18.00	18.00	0.005	6.840	0.00
20	20.00	20.00	0.005	6.840	0.00
21	25.00	25.00	0.010	6.840	0.00
22	40.00	40.00	0.015	6.840	0.00
23	45.00	45.00	0.015	6.840	0.00
24	60.00	60.00	0.015	6.660	0.00
25	90.00	90.00	0.020	6.840	0.00
26	120.00	120.00	0.030	6.840	0.00
27	180.00	180.00	0.030	6.840	0.00
28	240.00	240.00	0.030	7.020	0.00
29	300.00	300.00	0.030	7.020	0.00
30	360.00	360.00	0.030	7.020	0.00
31	420.00	420.00	0.040	7.020	0.00
32	480.00	480.00	0.060	7.020	0.00
33	540.00	540.00	0.030	7.020	0.00
34	600.00	600.00	0.030	7.020	0.00
35	720.00	720.00	0.040	7.020	0.00
36	900.00	900.00	0.040	7.020	0.00
37	1080.00	1080.00	0.045	7.020	0.00
38	1260.00	1260.00	0.050	7.020	0.00
39	1440.00	1440.00	0.055	7.020	0.00

Annexe 5c-2

PALIER NO: 1 COURBE DE REMONTEE

N	TEMPS (MN.)	TEMPS CUM. (MN.)	RABAT. (M.)	DEBIT (M3/H)	1+TP/TR
40	0.50	1440.50	0.055	0.000	2881.00
41	1.00	1441.00	0.055	0.000	1441.00
42	1.50	1441.50	0.055	0.000	961.00
43	2.00	1442.00	0.055	0.000	721.00
44	2.50	1442.50	0.050	0.000	577.00
45	3.00	1443.00	0.050	0.000	481.00
46	3.50	1443.50	0.050	0.000	412.43
47	4.00	1444.00	0.050	0.000	361.00
48	4.50	1444.50	0.050	0.000	321.00
49	5.00	1445.00	0.045	0.000	289.00
50	6.00	1446.00	0.045	0.000	241.00
51	7.00	1447.00	0.045	0.000	206.71
52	8.00	1448.00	0.045	0.000	181.00
53	9.00	1449.00	0.040	0.000	161.00
54	10.00	1450.00	0.040	0.000	145.00
55	12.00	1452.00	0.040	0.000	121.00
56	14.00	1454.00	0.035	0.000	103.86
57	16.00	1456.00	0.035	0.000	91.00
58	18.00	1458.00	0.035	0.000	81.00
59	20.00	1460.00	0.035	0.000	73.00
60	25.00	1465.00	0.035	0.000	58.60
61	30.00	1470.00	0.030	0.000	49.00
62	45.00	1485.00	0.030	0.000	33.00
63	60.00	1500.00	0.030	0.000	25.00
64	90.00	1530.00	0.025	0.000	17.00
65	120.00	1560.00	0.025	0.000	13.00
66	180.00	1620.00	0.025	0.000	9.00
67	240.00	1680.00	0.020	0.000	7.00
68	300.00	1740.00	0.020	0.000	5.80
69	360.00	1800.00	0.020	0.000	5.00
70	420.00	1860.00	0.020	0.000	4.43
71	480.00	1920.00	0.020	0.000	4.00
72	540.00	1980.00	0.020	0.000	3.67
73	600.00	2040.00	0.020	0.000	3.40
74	720.00	2160.00	0.020	0.000	3.00
75	900.00	2340.00	0.020	0.000	2.60
76	1080.00	2520.00	0.020	0.000	2.33
77	1260.00	2700.00	0.020	0.000	2.14
78	1440.00	2880.00	0.020	0.000	2.00